APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/050,358	01/16/2002	Nicolai Kosche	004-7047	5734

42714   7590   08/25/2006

ZAGORIN O'BRIEN GRAHAM LLP (004)
7600B NORTH CAPITAL OF TEXAS HIGHWAY
SUITE 350
AUSTIN, TX 78731-1191

EXAMINER
WANG, RONGFA PHILIP

ART UNIT	PAPER NUMBER
2191	.

DATE MAILED: 08/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	10/050,358	KOSCHE ET AL.
	Examiner	Art Unit	
	Philip Wang	2191	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on _28 June 2006_.

2a) ☐ This action is **FINAL.**   2b) ☒ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) _1,3,5-31,37,38,46,47,49-54 and 59-69_ is/are pending in the application.

   4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) _1,3,5-31,37,38,46,47,49-54 and 59-69_ is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☒ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.

   Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

   Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

   a) ☐ All   b) ☐ Some * c) ☐ None of:

   1. ☐ Certified copies of the priority documents have been received.

   2. ☐ Certified copies of the priority documents have been received in Application No. _____.

   3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

   * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
   Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
   Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

1.   This office action is in response to RCE filed on 6/28/2006.

2.   Per Applicant's request, claims 1, 3, 5, 19, 37, 38, 46, 50, 59, and 61 have been amended.

3.   Per Applicant's request, claims 2, 4, 32-36, 39-45, 48, and 55-58 have been cancelled.

4.   Per Applicant's rquest, new claims 62-69 are entered.

5.   Claims 1, 3, 5-31, 37-38, 46-47, 49-54, 59-69 remain pending.

Objection

Specification

6.   The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code. For example, last line of page 2 and first line of page 3 contain a hyperlink. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

> The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7.   Claim 54 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that

the inventor(s), at the time the application was filed, had possession of the claimed invention.

For example, the claim recites the limitation of wireless communications medium; the examiner

does not find support for this in the specification. To overcome this rejection, the Applicant is

required to point support for this claim in the specification.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly
claiming the subject matter which the applicant regards as his invention.

8.   Claim 51 is recites the limitation "the particular operations" in "the particular

operations include memory access operations". There is insufficient antecedent basis

for this limitation in the claim. For the purpose of art rejection, the examiner will assume

"the particular operations" as "the first operation".

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public
use or on sale in this country, more than one year prior to the date of application for patent in the United
States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another
filed in the United States before the invention by the applicant for patent or (2) a patent granted on an
application for patent by another filed in the United States before the invention by the applicant for patent,
except that an international application filed under the treaty defined in section 351(a) shall have the effects
for purposes of this subsection of an application filed in the United States only if the international application
designated the United States and was published under Article 21(2) of such treaty in the English language.

1.   Claims 1, 3, 5-15, 19-31, 37-38, 46, 47, 49, 59-60, 62 are rejected under 35

U.S.C. 102(b) as being anticipated by Anderson et al. (US Patent No. 5,964,867).

As per claim 1, Anderson et al. disclose

executing the code on a processor (col. 26, line 61, "Machine code is

executed...");

detecting the execution event (col. 5, line 39-40, "... sampling the program

counter when event counters overflow...");

and backtracking a displacement from a detection point in the code coinciding with the

detection of the execution event to a preceding operation associated with the execution

event, the backtracking identifying the preceding operation, wherein the displacement is

based, at least in part, on a type of operation appropriate to have triggered the

execution event(col. 1, line 35-40, "... to monitor specific events during

execution of a program..."; col. 3, 35-49, "for example a load

instruction... static analysis... can work backwards... to identify the

actual instruction that caused the event.")

As per claim 3, the rejection of claim 1 is incorporated; further Anderson et al. disclose **if an**

ambiguity creating location is encountered while backtracking, either ignoring the

execution event or bridging the ambiguity creating location(col. 25, line 17-22,

"For each instruction executed in the trace, work backwards to

determine path segments until either: (a) the global branch history

bits are exhausted...").

As per claim 5, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the** ·

ambiguity creating location is one of: a jump target location; an indirect branch target

location; a branch target location; entry point location; a trap handler location; and an

interrupt handler location (col. 23, line 56-58, "asynchronous events that

cause branched code to execute... such as interrupts... can pollute branch

history...").

As per claim 6, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the**

preceding operation corresponds to a load instruction (;

and the execution event is a cache miss (col. 12, line 31, "Events could

include cache misses...").

As per claim 7, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the**

preceding operation corresponds to a memory access instruction (col. 9, line 49-

50, "... execute memory access instructions...");

the execution event is either a hit or a miss at a level in a memory hierarchy (col. 12,

line 31, "Events could include cache misses...").

As per claim 8, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the**

execution event is either an overflow or an underflow of a hardware counter (col. 5,

line 38-40, "... sampling the program counter when event counter

overflow..."; col. 6, line 62-65, "... hardware event-counters...").

As per claim 9, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the**

execution event triggers either an overflow or an underflow of a hardware counter that is

itself detected (col. 12, line 31-35, "Events could include cache misses...";

col. 5, line 38-40, "... sampling the program counter when event counter

overflow..."; col. 6, line 8, "Special-purpose hardware could count...").

As per claim 10, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the**

latency includes that associated with delivery of a trap (col. 9, line 59-65,

"...some instructions may abort or be trapped.   For example, the

execution flow may change after an instruction is fetched, or an

instruction

may suffer an exception trap.   In these cases, the instruction and all

subsequent instructions already in the pipeline are discarded and the

speculative processing state is rolled back." The examiner asserts

that the action to discard or rollback instructions takes time and

inherently introduces latency.)

As per claim 11, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the**

latency includes that associated with delivery of a counter overflow event signal (col.

12, line 51-68, "Latency registers store timing information taken at

check points... The checkpoints may differ from processor to processor

depending on where an instruction might be stalled waiting for some event or resource. Each latency register counts the number of cycles an instruction spent between two checkpoints." The examiner interprets that one processor may use a counter overflow event as check point for latency.)

As per claim 12, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the latency is associated with pipeline execution skid** (col. 12, line 56-58, "… latency regist4r counts the number of cycles… between two checkpoints.").

As per claim 13, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the latency is associated with completion of in-flight operation** (col. 12, line 51-52, "Latency registers stores timing information… while a selected instruction is in flight".)

As per claim 14, the rejection of claim 1 is incorporated; further Anderson et al. disclose **embodied in a computer program product** (col. 8, line 22-30, "… instructions and data of software programs are stored in the memories… instructions are decoded for execution.")

As per claim 15, the rejection of claim 1 is incorporated; further Anderson et al. disclose **embodied in at least one of: a profiling tool; a code optimizer; and a runtime library** (col. 10, line 13-21, "This makes the profile record useful… profile-

directed optimization...").

As per claim 19, Anderson et al. disclose a method of identifying operations associated with execution events of a processor, the method comprising:

from a point in an execution sequence of the operations of the processor, the point coinciding with an execution event, backtracking through the operations toward a particular operation that precedes the coinciding point by a displacement, wherein the displacement is based, at least in part on a type of operation appropriate for triggering the execution event; and associating the execution event with the particular operation. (col. 3, 35-49, "for example a load instruction... static analysis... can work backwards... to identify the actual instruction that caused the event."; col. 7, line 7-9, "Latencies of instructions of the program are measured...".);

As per claim 20, the rejection of claim 19 is incorporated; further Anderson et al. disclose executing **the sequence of operations on the processor** (col. 26, line 61, "Machine code is executed...");
and detecting the execution event (col. 5, line 39-40, "... sampling the program counter when event counters overflow...").

As per claim 21, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the operations are instructions executable on the processor** (col. 2 line 12-13, "... operation of a processor that can issue instructions...");

and the particular operation is a particular one of the instructions that triggers the

execution event (col. 16, line 13-18, "As the instruction progresses…

trigger signals… Ptrap… ").

As per claim 22, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the**

operations correspond to instructions of program code. (col. 2 line 12-13, "…

operation of a processor that can issue instructions…").

As per claim 23, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the**

execution event is an exception triggering execution of the particular operation (col.

12, line 31-38, "Events could include…. And exception conditions…").

As per claim 24, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the**

execution event is a cache miss (col. 12, line 31, "Events could include

cache misses…").

As per claim 25, the rejection of claim 19 is incorporated. It recites the same limitation as claim

10 and is rejected for the same reason set forth in connection with the rejection of claim 10

above.

As per claim 26, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the**

execution event triggers a hardware event and the expected latency includes delivery of

a signal associated therewith (col. 12, line 51-68, "Latency registers store

timing information taken at check points… The checkpoints may differ

from processor to processor depending on where an instruction might be
stalled waiting for some event or resource. Each latency register
counts the number of cycles an instruction spent between two
checkpoints." The examiner interprets that one processor may use a
counter overflow event as check point for latency.)

As per claim 27, the rejection of claim 26 is incorporated; further Anderson et al. disclose **the
hardware event is either underflow or overflow of a counter associated with the
execution event** (col. 5, line 38-40, "… sampling the program counter when
event counter overflow…"; col. 6, line 62-65, "… hardware event-
counters…").

As per claim 28, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the
execution event is either underflow or overflow of a counter** (col. 5, line 38-40, "…
sampling the program counter when event counter overflow…").

As per claim 29, the rejection of claim 19 is incorporated; further Anderson et al. disclose
**instances of intervening control transfer targets are identified in the execution sequence
of operations to facilitate the backtracking** (col. 24, line 26-31, "… perform a
backward analysis… can identify execution paths…").

As per claim 30, the rejection of claim 29 is incorporated; further Anderson et al. disclose **at
least some of the instances of intervening control transfer targets are resolved using
branch history information** (col. 25, line 17-22, "For each instruction

executed in the trace, work backwards to determine path segments until

either:

(a) the global branch history bits are exhausted…").

As per claim 31, the rejection of claim 19 is incorporated; further Anderson et al. disclose

control transfer target locations in the execution sequence are identified by a compiler

(col. 24, line 33-34, "The analysis can identify execution Paths…").

As per claim 37, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the**

particular operation comprises a memory referencing instructions (col. 12, line

13-15, "… the instruction is a memory access instruction…");

As per claim 38, the rejection of claim 37 is incorporated; further Anderson et al. disclose **the**

memory referencing instruction comprises one or more of loads, stores and prefetches

(col. 12, line 13-15, "… the instruction is a memory access

instruction, such as a load…");

As per claim 46, Anderson et al. disclose a method of preparing code, the method comprising:

preparing a tangible first executable instance of the code(col. 8, line 22-25,

"During operation of the system, instructions and data of software

programs are stored in the memories. The instructions and data are

generated conventionally using known compiler…" It is inherent that a

compiler prepares the execution sequence of the operations.),

the preparing identifying at least ambiguity creating locations therein(col. 24, line

33-34, "The analysis can identify execution Paths…");

executing the first executable instance and responsive to detection of an execution

event(col. 26, line 61, "Machine code is executed…"; col. 1, line 35-

40, "… to monitor specific events during execution of a program…");

backtracking a displacement through the code to an operation thereof, wherein the

displacement is based, at least in part, on a type of operation appropriate to have

triggered the execution event; and associating the operation with the execution event.

(col. 3, 35-49, "for example a load instruction… static analysis… can

work backwards… to identify the actual instruction that caused the

event.";)

As per claim 47, the rejection of claim 46 is incorporated; further Anderson et al. disclose **the**

association between the associated operation and the execution characteristic is based

on a set of additional detections and responsive backtracking (col. 25, line 17-22,

"For each instruction executed in the trace, work backwards to

determine path segments until either: (a) the global branch history

bits are exhausted…").

As per claim 49, the rejection of claim 46 is incorporated; further Anderson et al. disclose

resolving at least some intervening ones of the identified ambiguity creating locations

using branch history information (col. 25, line 17-22, "For each instruction

executed in the trace, work backwards to determine path segments until

either:

(a) the global branch history bits are exhausted…").

As per claim 59, Anderson et al. disclose

means for backtracking predetermined displacement, from a point coinciding with an

execution event in an execution sequence of operations on a processor, through the

execution sequence toward a particular operation thereof that precedes the coinciding

point

and means for associating the execution event with the particular operation unless the

backtracking encounters an intervening ambiguity creating location, wherein the

predetermined displacement is depend upon the particular operation which is indicated

by the execution event (col. 1, line 35-40, "… to monitor specific events

during execution of a program…"; col. 3, line 46-49, "… static

analysis… can work backwards… to identify the actual instruction that

caused the event.").

As per claim 60, the rejection of claim 59 is incorporated; further Anderson et al. disclose

means for bridging at least some ambiguity creating locations (col. 25, line 17-22,

"For each instruction executed in the trace, work backwards to

determine path segments until either: (a) the global branch history

bits are exhausted…").

As per claim 62, the rejection of claim 3 is incorporated; further Anderson et al. disclose

wherein the ambiguity creating location is bridged using branch history information (col. 25,

line 17-22, "For each instruction executed in the trace, work

backwards to determine path segments until either: (a) the global

branch history bits are exhausted…").

Claim Rejections - 35 USC § 103

2.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in
> section 102 of this title, if the differences between the subject matter sought to be patented and the prior art
> are such that the subject matter as a whole would have been obvious at the time the invention was made to
> a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be
> negatived by the manner in which the invention was made.

3.   Claims 16-18 rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson et

al. (US Patent No. 5,964,867) in view of Ronstrom (US PGPub. No. 2002/0010913).

As per claim 16, the rejection of claim 1 is incorporated.

Anderson et al. do not disclose padding operations.

However, Ronstrom discloses **a compiler that pads the code with one or more padding

operations to absorb at least some instances of the latency** (p. 1, [0012], "… the

compiler… generating a dummy instruction code for lowering cache miss

penalty and inserting the same…").

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teaching of Ronstrom into the teaching of Anderson et al. to include padding dummy instruction. The modification would be obvious to one of ordinary skill in the art to want to lower cache miss penalty (p. 1, [0012], line 12-13, "...lowering cache miss penalty...")

As per claim 17, the rejection of claim 16 is incorporated; further Ronstrom disclose **the padding operations are not themselves associated with the execution event** (p. 1, [0012], "... the compiler... generating a dummy instruction... and inserting the same..." It is inherent that a dummy operation does nothing but consumes processor cycles. So, dummy instructions are not associated with the execution events.).

As per claim 18, the rejection of claim 16 is incorporated; further Ronstrom disclose **the padding operations are not themselves ambiguity creating locations** (p. 1, [0012], "... the compiler... generating a dummy instruction... and inserting the same..." It is inherent that a dummy operation does nothing but consumes processor cycles. So, padding dummy instructions does not create ambiguity locations.)

4.   Claims 63-68 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson et al. (US Patent No. 5,964,867) in view of Bala et al. ("Efficient Instruction Scheduling Using Finite State Automata").

As per claim 63,

the rejection of claim 1 is incorporated;

further Anderson et al. disclose

- identifying the preceding operation (col. 3, 35-49, "for example a
  load instruction... static analysis... can work backwards... to
  identify the actual instruction that caused the event.").

- wherein the expected detection latency is based, at least in part, on a type
  of the identified preceding operation (col. 3, 35-49, "for example a
  load instruction... static analysis... can work backwards... to
  identify the actual instruction that caused the event.")

Anderson et al. do not specifically disclose

- identifying an ambiguity creating location, determining an interval and inserting
  padding operations.

However, Bala et al. disclose

- identifying an ambiguity creating location subsequent to the identified preceding
  operation (p. 47, left col., 3rd para., "...the ability to insert
  an instruction into the middle of an already scheduled
  block...scheduled above a branch..." The examiner asserts that
  a branch is an ambiguity creating location and it is
  inherent to have to a step of identifying such location
  before inserting instruction before it.).,

- determining that an unambiguous interval between the ambiguity creating
  location and the identified operation is insufficient to cover an expected
  detection latency for the identified preceding operation; and inserting

padding operations, which provide at least a portion of a skid region

between the identified preceding operation and the ambiguity creating

location, into the code subsequent to the identified operation, (p. 46,

left col., section 1, line 6-8, "...insert explicit NOP

instructions in the stream to prevent hazards..."; p. 47,

left col., 3rd para., "...the ability to insert an instruction

into the middle of an already scheduled block...scheduled

above a branch..." The examiner asserts that such insertion

of instruction is a result of determining that an

unambiguous interval between the ambiguity creating

location and the identified operation is insufficient to

cover an expected detection latency for the identified

preceding operation, therefore such determination is

inherent).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the

invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et

al. to include identifying an ambiguity creating location subsequent to the identified preceding

operation determining that an unambiguous interval between the ambiguity creating location

and the identified operation is insufficient to cover an expected detection latency for the

identified preceding operation; and inserting padding operations, which provide at least a portion

of a skid region between the identified preceding operation and the ambiguity creating location,

into the code subsequent to the identified operation. The modification would be obvious to one

of ordinary skill in the art to want to effectively detect hazards as suggested by Bala et al. (p.

47, left col., line 4-5, "...effectively reducing the problem of

structural hazard detection...")

As per claim 64,

the rejection of claim 19 is incorporated; see reason for rejection of claim 63 of identifying.

As per claim 65, the rejection of claim 64 is incorporated;

further Anderson et al. disclose

- ignoring a second execution event if an ambiguity creating location is

  encountered while backtracking (col. 23, line 5, "...events can be

  ignored...").

As per claim 66, the rejection of claim 64 is incorporated; further Anderson et al. disclose

- encountering an ambiguity creating location while backtracking; and bridging the

  ambiguity creating location using branch history information (col. 25, line

  17-22, "For each instruction executed in the trace, work

  backwards to determine path segments until either: (a) the

  global branch history bits are exhausted...").

  -

As per claim 67, the rejection of claim 64 is incorporated;

Anderson et al. do not specifically disclose

- identifying ambiguity creating locations.

However, Bala et al. disclose further comprising

- identifying ambiguity creating locations in the sequence of operations (p. 47, left col., 3rd para., "...the ability to insert an instruction into the middle of an already scheduled block...scheduled above a branch..." The examiner asserts that in order to insert instruction in the stream, it is inherent the identifying of ambiguity creating locations exists.).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et al. to include identifying ambiguity creating locations in the sequence of operations. The modification would be obvious to one of ordinary skill in the art to want to effectively detect hazards as suggested by Bala et al. (p. 47, left col., line 4-5, "...effectively reducing the problem of structural hazard detection...")

As per claim 68, the rejection of claim 67 is incorporated;

Anderson et al. do not specifically disclose inserting padding operations.

However, Bala et al. disclose

- inserting one or more padding operations into the sequence of operations between a first of the identified target operations and a first of the identified ambiguity creating locations to cover an expected detection latency of the first identified target operation (p. 46, left col., section 1, line 6-8, "...insert explicit NOP instructions in the stream to prevent hazards..."; p. 47, left col., 3rd para., "...the ability to

```
                insert an instruction into the middle of an already

                scheduled block...scheduled above a branch...").  ·
```

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the

invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et

al. to include inserting one or more padding operations into the sequence of operations between

a first of the identified target operations and a first of the identified ambiguity creating locations

to cover an expected detection latency of the first identified target operation. The modification

would be obvious to one of ordinary skill in the art to want to effectively detect hazards as

suggested by Bala et al. `(p. 47, left col., line 4-5, "...effectively reducing`

`the problem of structural hazard detection...")`

As per claim 69, the rejection of claim 46 is incorporated;

Anderson et al. do not specifically disclose

- inserting padding operation to provide a skid region.

However, Bala et al. dislcose

- inserting one or more padding operations between the operation and a

  first of the identified ambiguity creating locations that is subsequent to the

  operation, wherein the one or more padding operations provide at least a

  portion of a skid region between the operation and the first identified

  ambiguity creating location sufficient to cover an expected detection

  latency of the operation `(p. 46, left col., section 1, line 6-8,`

  `"...insert explicit NOP instructions in the stream to prevent`

  `hazards..."; p. 47, left col., 3`[rd] `para., "...the ability to`

insert an instruction into the middle of an already

scheduled block…scheduled above a branch…".)

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the

invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et

al. to include inserting padding operation to provide a skid region.

The modification would be obvious to one of ordinary skill in the art to want to effectively detect

hazards as suggested by Bala et al. (p. 47, left col., line 4-5, "…effectively

reducing the problem of structural hazard detection…")

5.   Claims 50-54, and 61 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Ronstrom (US PGPub. No. 2002/0010913) in view of Bala et al. ("Efficient Instruction

Scheduling Using Finite State Automata").

As per claim 50, Ronstrom discloses a computer program product encoded in one or more

computer readable media, the computer program product (p. 3, [0037], line 2-3, "…

a computer program product…loadable into the memory..") comprising:

an execution sequence of operations (p. 4, [0063], line 3-4, "… a machine

code running on a standard processor…");

Ronstrom does not specifically disclose

-    Inserting padding instruction to provide a skid region.

However, Bala et al. disclose

-    **one or more padding operations following a first operation of the execution**

sequence, the padding operations providing an unambiguous skid region

of the execution sequence between the first operation and a subsequent

ambiguity creating location to provide a displacement between the

ambiguity location and the first particular operations to cover an expected

detection latency of the first operation (p. 46, left col., section 1,

line 6-8, "…insert explicit NOP instructions in the stream

to prevent hazards…"; p. 47, left col., 3rd para.,; p. 47,

3rd para., line 6-10, "…insert instruction…when an

instruction is speculatively scheduled above a branch…"

The examiner asserts that a branch is an ambiguity creating

location.).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the

invention was made to incorporate the teachings of Bala et al. into the teachings of Ronstrom to

include padding instructions between some particular operations and the ambiguity creating

locations to create a skid region. The modification would be obvious to one of ordinary skill in

the art to want to effectively detect and reduce hazards as suggested by Bala et al. (p. 47,

left col., line 4-5, "…effectively reducing the problem of structural

hazard detection…")

As per claim 51, the rejection of claim 50 is incorporated; further Ronstrom discloses **the first**

operation include memory access operations (p. 1, [0012], line 9-13, "…

detecting cache miss penalty… generating dummy instruction code for

lowering cache miss penalty and inserting the same…" The examiner

asserts that operations related to cache miss are memory access

operations.)

As per claim 52, the rejection of claim 50 is incorporated;

further Bala et al. discloses **the padding operations include nops** (p. 46, section 1,

line 7, "...insert explicit NOP instruction...")

As per claim 53, the rejection of claim 50 is incorporated; further Ronstrom discloses **the**

unambiguous skid region does not include an ambiguity creating location ((p. 46,

section 1, line 7, "...insert explicit NOP instruction..." The examiner

asserts that inserted NOPS does not create ambiguity.)

As per claim 54, the rejection of claim 50 is incorporated; further Ronstrom discloses **the one or**

more computer readable media are selected from the set of a disk, tape, magnetic,

optical, semiconductor or electronic storage medium and a network, wireline, or wireless

communications medium (p. 3, [0039], line 7-8, "... floppy discs and hard

drives..." The examiner asserts that a hard drive is a magnetic storage

medium.)

As per claim 61, it is the apparatus claim that recites the same limitation as claim 50 and is

rejection for the same reason set forth for the rejection of claim 50.

Response to Arguments

In the remark,

(a) Per claims 1, 19, 46, and 59, the Applicant argues "all performance counter events...are

attributed to the instruction that is executing six cycles after the event" and "...the backward

analysis steps back an absolute six cycles...and is not based on a type of instruction..."

- Per Anderson, col. 3, line 37-38, "...a load instruction...", and line 44, "...after the
  load access.." clearly indicates such profiling method is based in a type of
  operation. In this particular example, a load type is used. Per Applicant's
  specification, [1018], line 6, "...include a load-type memory access instruction...",
  also use a load-type memory access instruction as example.

- On Applicant's argument "all performance counter events...are attributed to the
  instruction that is executing six cycles after the event", the examiner interprets as
  follows. The six cycles are the cycles required for any memory access misses to
  be show as performance counter events after the memory load access failed.
  Cache misses are detected after the fact, and it is the reason of the present
  invention and prior art by Anderson trying to backtrack to identify which load
  instruction caused such memory access misses.

(b) Per claims 50 and 61, please refer to new ground of rejection.

- The new ground of rejection does not include the prefectch instruction as pointed
  out by the applicant, instead NOP operations are used as described by Bala et
  al.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip Wang whose telephone number is 571-272-5934. The examiner can normally be reached on Mon - Fri 8:00 - 4:00PM. Any inquiry of general nature or relating to the status of this application should be directed to the TC2100 Group receptionist: 571-272-2100.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wei Zhen can be reached on 571-272-3708. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

WEI ZHEN
SUPERVISORY PATENT EXAMINE